Virginia Asthma Action Plan

School Division:

Name			Date of Birth	
Health Care Provider	Provider's Phone #	Fax #	Last flu shot	
Parent/Guardian	Parent/Guardian Phon	e	Parent/Guardian Email:	
Additional Emergency Contact	Contact Phone		Contact Email	
Asthma Triggers (Things that make your as	sthma worse)			
□ Colds □ Dust			□ Strong odors Season	
☐ Smoke (tobacco, incense) ☐ Acid☐ Pollen ☐ Exerc		cockroaches)	☐ Mold/moisture ☐ Fall ☐ Spring ☐ Stress/Emotions ☐ Winter ☐ Summer	
	Medical provider com	plete from ber		
Asthma Severity: Intermitte				
Green Zone: Go!	Take these CONTROL (PREVENTION) Medicines EVERY Day			
	Always rinse your mouth after using your inhaler and remember to use a spacer with your MDI.			
You have ALL of these:	□ No control medicines required. □ Aerospan □ Advair □ □ Alvesco □ □ Asmanex □ □ Budesonide □ □			
Breathing is easy				
No cough or wheeze	□ Dulera □ Flovent	□ Pulmicort	□ QVAR □ Symbicort	
Can work and play	☐ Other :			
• Can sleep all night puff (s) MDI times a day Or nebulizer treatment(s) times a day				
	☐ (Montelukast) Singulair, ta			
Peak flow: to (More than 80% of Personal Best)				
Personal best peak flow: For asthma with exercise, ADD: Albuterol Xopenex Ipratropium, MDI, 2 puffs with spacer 15 minutes before exercise (i.e., PE class, recess, sports)				
Yellow Zone: Caution!	Continue CONTR	OL Medicines	and ADD RESCUE Medicines	
You have ANY of these:	☐ Albuterol ☐ Levalbuterol (Xopenex) ☐ Ipratropium (Atrovent), MDI, puffs with spacer everyhours as needed			
Cough or mild wheeze	☐ Albuterol 2.5 mg/3ml ☐ Levalbuterol (Xopenex) ☐ Ipratropium (Atrovent) 2.5 mg/3ml ☐ one nebulizer treatment every ☐ hours as needed ☐ Other: ☐ O			
• First sign of cold				
• Tight chest				
Problems sleeping, working, or playing	- Other .			
Peak flow: to	Call your Healthcare Pr	ovider if you nee	ed rescue medicine for more than 24	
(60% - 80% of Personal Best)	hours or two times a week, or if your rescue medicine doesn't work.			
Red Zone: DANGER!	Continue CONT	ROL & RESCU	E Medicines and GET HELP!	
You have ANY of these:		☐ Ipratropium (Atrovent)	MDI, puffs with spacer every 15 minutes, for THREE	
• Can't talk, eat, or walk well	treatments.			
Medicine is not helping	☐ Albuterol 2.5 mg/3ml ☐ Levalbuterol (Xopenex) ☐ Ipratropium (Atrovent) 2.5 mg/3ml one nebulizer treatment every 15 minutes , for THREE treatments			
Breathing hard and fastBlue lips and fingernails	□ Other :			
Tired or lethargic	Call your doctor while administering the treatments.			
• Ribs show	IF YOU CANNOT CONTACT YOUR DOCTOR:			
Peak flow: <	Call 911 or go directly to the			
(Less than 60% of Personal Best)	Emergency Department NOW!			
REQUIRED SIGNATURES:		SCHOOL MEDICATION Check One:	ON CONSENT & HEALTH CARE PROVIDER ORDER	
I give permission for school personnel to follow this plan, a my child and contact my provider if necessary. I assume	full responsibility for providing the	F	can carry and self-administer inhaler at school.	
school with prescribed medication and delivery/ monitoring Management Plan for my child.	ng devices. I approve this Asthma	Student needs supervision or assistance to use inhaler, and should not carry the inhaler in school.		
	Date	Student needs supervis	sion or assistance to use innaier, and should not carry the inhaler in school.	
SCHOOL NURSE/DESIGNEE	Date	MD/NP/PA SIGNATURE:	DATE	
OTHER	Date			
CC: Principal Cafeteria Mgr Bus Driver/1	ransportation □ School Staff	Effective Dates	to	